

HS Width *Easy-Order* Mobile Cabinet Combinations – 40 1/4" wide x 22 1/2" deep



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% full extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 3)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 3)

How to order an HS Width Easy-Order Mobile Cabinet

1. Select Easy-Order Cabinet Combination either without or with drawer interior sets (designated by an "A" near the end of the part number – i.e., HSO600-0501FA-M).

2. Select lock type.

- NL = none
- RG = individual
- KA = keyed-alike
- MA = master

3. Select paint color.

EXAMPLE: to order an HSO900-0803FA-M cabinet with an individual lock, Light Gray paint for the housing with Black drawers, and a retainer top, the part number would be HSO900-0803FA-M-RGLG/BK, with an HS-RT top (shown in photo at top of page).

HS600 Mobile Cabinets 35 1/2" high

	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	LR312
	3" (100F)	312
	3" (100F)	LR312
	5" (150F)	206

PART NO.	DRWS.	COMPARTS.
HSO600-0601F-M- <input type="checkbox"/>	6	-
HSO600-0601FA-M- <input type="checkbox"/>	6	72

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	LR312
	3" (100F)	518
	3" (100F)	LR209
	5" (150F)	312
	7" (200F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO600-0501F-M- <input type="checkbox"/>	5	-
HSO600-0501FA-M- <input type="checkbox"/>	5	65

	DRAWER HT.	DR. INT.
	3" (100F)	LR312
	3" (100F)	518
	5" (150F)	312
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HSO600-0403F-M- <input type="checkbox"/>	4	-
HSO600-0403FA-M- <input type="checkbox"/>	4	48

Mobile Cabinet Options

Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 22 3/16" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.



PART NO.	DESCRIPTION
OHC2329-CM	shelf cabinet
OHC1BCT/27	butcher block top (22 3/16" x 15" x 1 1/4")

HS750 Mobile Cabinets 41 1/2" high

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	617
	2" (75F)	LR312
	2" (75F)	LR312
	3" (100F)	518
	5" (150F)	312
	7" (200F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO750-0701F-M- <input type="checkbox"/>	7	-
HSO750-0701FA-M- <input type="checkbox"/>	7	94

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	LR312
	3" (100F)	518
	3" (100F)	LR209
	5" (150F)	312
	9" (250F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO750-0602F-M- <input type="checkbox"/>	6	-
HSO750-0602FA-M- <input type="checkbox"/>	6	74

	DRAWER HT.	DR. INT.
	2" (75F)	518
	3" (100F)	LR312
	4" (125F)	312
	7" (200F)	206
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HSO750-0505F-M- <input type="checkbox"/>	5	-
HSO750-0505FA-M- <input type="checkbox"/>	5	54

HS900 Mobile Cabinets 47 3/8" high

	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	518
	2" (75F)	LR312
	2" (75F)	LR312
	3" (100F)	312
	3" (100F)	312
	4" (125F)	312
	4" (125F)	312
	5" (150F)	206

PART NO.	DRWS.	COMPARTS.
HSO900-0903F-M- <input type="checkbox"/>	9	-
HSO900-0903FA-M- <input type="checkbox"/>	9	114

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	617
	2" (75F)	LR312
	2" (75F)	LR312
	3" (100F)	518
	3" (100F)	518
	5" (150F)	312
	9" (250F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO900-0803F-M- <input type="checkbox"/>	8	-
HSO900-0803FA-M- <input type="checkbox"/>	8	112

	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	LR312
	3" (100F)	312
	3" (100F)	LR312
	5" (150F)	206
	5" (150F)	206
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HSO900-0704F-M- <input type="checkbox"/>	7	-
HSO900-0704FA-M- <input type="checkbox"/>	7	72

HS Mobile Cabinet Tops

PART NO.	DESCRIPTION	HT.
HS-RT	retainer top with ribbed mat	3/4"
HS1BCT	butcher block	1 3/4"
HS1PCT	plastic laminate	1 9/16"




Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 22 1/2" deep.

PART NO.	MOUNTS TO
FS-27DX15-L	left side
FS-27DX15-R	right side

For detailed directions on ordering custom cabinets and complete descriptions of the options in this document, please see our General Storage Catalog.



*inside dimensions

1 Select cabinet housing

Listo's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

HS Width Cabinet Housings

40 1/4" wide x 22 1/2" deep
(1023mm x 572mm)

PART NO.	OVERALL HEIGHT (without base)
HS300	15 3/4" (400mm)
HS450	21 5/8" (550mm)
HS600	27 1/2" (700mm)
HS750	33 1/2" (850mm)
HS900	39 3/8" (1000mm)
HS1050	45 1/4" (1150mm)
HS1225	52 3/16" (1325mm)

HS Width Double Hinged Door Cabinet Housings

These are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

40 1/4" wide x 23 1/2" deep
(1023mm x 597mm)

PART NO.	OVERALL HEIGHT (without base)
HSDHD600	27 1/2" (700mm)
HSDHD750	33 1/2" (850mm)
HSDHD900	39 3/8" (1000mm)
HSDHD1225	52 3/16" (1325mm)

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select mobile base

PART NO.	DESCRIPTION	OAH
CB-HS4B	4" x 2" casters, 1400 lb. cap.	6 1/4"
CB-HS6B	6" x 2" casters, 2400 lb. cap.	8"

4 Select top

Top depth is 22 1/2". (For tops for 23 1/2" deep housings with doors, contact your Listo representative.)

PART NO.	DESCRIPTION	HT.
HS-RT	retainer top with ribbed mat	3/4"
HS1BCT	butcher block	1 3/4"
HS1PCT	plastic laminate	1 9/16"
HS1RCT	phenolic resin	1"
HS1LSCT	galvanized steel over wood	1 13/16"
HS1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) maximum load capacity.

PART NO.	USABLE HT.	SIDEWALL HT.
HS75F	2 1/8" (54mm)	2" (52mm)
HS100F	3 1/8" (79mm)	3" (77mm)
HS125F	4 1/16" (104mm)	3" (77mm)
HS150F	5 1/16" (129mm)	5" (127mm)
HS175F	6 1/16" (154mm)	5" (127mm)
HS200F	7 1/32" (179mm)	7" (177mm)
HS225F	8" (203mm)	7" (177mm)
HS250F	9" (229mm)	8 15/16" (227mm)
HS300F	11" (279mm)	10 15/16" (277mm)
HS350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays and doors

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
HS-AS	37 13/16" (961mm)	18 1/4" (463mm)

Bottom Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
HS-BS	37 7/8" (962mm)	17 3/4" (451mm)

Vertical Dividers for Adjustable Shelves

PART NO.	HEIGHT
VSD100/27	4"
VSD150/27	6"

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
HS-TCF	36 1/8" (918mm)	18" (459mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/HS	solid steel door	8 5/16"
RD450/HS	solid steel door	14 1/4"
RD450/HS-P	with plexiglas window	14 1/4"

*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers

7 Select colors

Listo's modular building block system means that your HS Width cabinets can be configured to exactly suit your requirements.

To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer model numbers must add up to the model number of the housing.

Example: 900 housing

100 drawer
100 drawer
150 drawer
150 drawer
200 drawer
200 drawer


Total drawer height = 900

Example: 900 housing with retractable door

450 retractable door
100 drawer
150 drawer
200 drawer

Total drawer and door height = 900

HS Width *Easy-Order* Drawer Interior Sets



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR106-■	3	7 1/2"
	3	9 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR206-■	6	11 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR207-■	3	3 3/4"
	2	5 3/4"
	2	7 3/4"

How to order an HS Width *Easy-Order* Drawer Interior Set

To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an HDR312 drawer interior set for a 100 height (3") drawer, the part ordering number would be HDR312-100.




For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR209-■	9	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR312-■	6	7 1/2"
	6	9 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR312-■	10	3 1/2"
	2	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR415-■	6	5 1/2"
	9	7 3/4"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR518-■	18	5 1/2"




For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR617-■	10	3 1/2"
	5	5 1/2"
	2	7 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR621-■	15	5 1/4"
	6	4 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR836-■	36	3 1/2"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
HDR024-■	12	6" x 6"
	12	3" x 6"




For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
HDR036-■	36	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
HDR040-■	6	6" x 6"
	14	3" x 6"
	20	3" x 3"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
HDR-SG432-■	6	2 3/4"
	10	1 3/4"
	15	1 1/4"