

# SC Width Easy-Order Mobile Cabinet Combinations – 28 1/4" wide x 28 1/2" deep

## SC600 Mobile Cabinets

35 1/2" high




DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	420

PART NO.	DRWS.	COMPARTS.
SC0600-0701F-M- <input type="checkbox"/> <input type="checkbox"/>	7	-
SC0600-0701FA-M- <input type="checkbox"/> <input type="checkbox"/>	7	180



DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	316
5" (150F)	316
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0600-0502F-M- <input type="checkbox"/> <input type="checkbox"/>	5	-
SC0600-0502FA-M- <input type="checkbox"/> <input type="checkbox"/>	5	81



DRAWER HT.	DRAWER INT.
3" (100F)	420
5" (150F)	316
5" (150F)	316
7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC0600-0402F-M- <input type="checkbox"/> <input type="checkbox"/>	4	-
SC0600-0402FA-M- <input type="checkbox"/> <input type="checkbox"/>	4	61

## SC750 Mobile Cabinets

41 1/2" high



DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	420
2" (75F)	420
3" (100F)	316
3" (100F)	316
3" (100F)	209
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0750-0801F-M- <input type="checkbox"/> <input type="checkbox"/>	8	-
SC0750-0801FA-M- <input type="checkbox"/> <input type="checkbox"/>	8	162



DRAWER HT.	DRAWER INT.
3" (100F)	316
3" (100F)	316
3" (100F)	316
5" (150F)	209
5" (150F)	209
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0750-0617F-M- <input type="checkbox"/> <input type="checkbox"/>	6	-
SC0750-0617FA-M- <input type="checkbox"/> <input type="checkbox"/>	6	75



DRAWER HT.	DRAWER INT.
5" (150F)	316
5" (150F)	316
7" (200F)	209
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC0750-0401F-M- <input type="checkbox"/> <input type="checkbox"/>	4	-
SC0750-0401FA-M- <input type="checkbox"/> <input type="checkbox"/>	4	45

## SC900 Mobile Cabinets

47 3/8" high



DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	316
3" (100F)	316
3" (100F)	209
3" (100F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-1002F-M- <input type="checkbox"/> <input type="checkbox"/>	10	-
SC0900-1002FA-M- <input type="checkbox"/> <input type="checkbox"/>	10	210



DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	316
3" (100F)	316
4" (125F)	312
4" (125F)	312
4" (125F)	209
4" (125F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-0805F-M- <input type="checkbox"/> <input type="checkbox"/>	8	-
SC0900-0805FA-M- <input type="checkbox"/> <input type="checkbox"/>	8	114



DRAWER HT.	DRAWER INT.
3" (100F)	420
5" (150F)	420
5" (150F)	316
5" (150F)	316
5" (150F)	209
7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-0607F-M- <input type="checkbox"/> <input type="checkbox"/>	6	-
SC0900-0607FA-M- <input type="checkbox"/> <input type="checkbox"/>	6	90



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% extension drawers with 440 lb. load capacity

### How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (see pages 3-4)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (see pages 3-4)

### How to order a Standard Width Easy-Order Mobile Cabinet

1. Select Easy-Order Cabinet Combination either without or with drawer interior sets (designated by an "A" near the end of the part number – i.e., SC0600-0502FA-M).
2.  Select lock type.  
 NL = none  
 RG = individual  
 KA = keyed-alike  
 MA = master
3.  Select paint color.

**EXAMPLE:** to order an SC0600-0502FA-M cabinet with an individual lock, Red paint and a retainer top, the part number would be SC0600-0502FA-M-**RG**NR, with an SC-RT top (shown in photo at top of page).

## Mobile Cabinet Options

### Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 28 1/4" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.



PART NO.	DESCRIPTION
OHC2829-CM	shelf cabinet
OHC1BCT/36	butcher block top (28 1/4" x 15" x 1 1/4")



### Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 28 1/2" deep.

PART NO.	MOUNTS TO
FS-36DX15-L	left side
FS-36DX15-R	right side

### Standard Width Mobile Cabinet Tops

PART NO.	DESCRIPTION	HT.
SC-RT	retainer top with ribbed mat	3/4"
SC1BCT	butcher block	1 3/4"
SC1PCT	plastic laminate	1 9/16"

For detailed directions on ordering custom cabinets and complete descriptions of the options in this document, please see our General Storage Catalog.

## 1 Select cabinet housing

Listra's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

### Standard Width Cabinet Housings

28 1/4" wide x 28 1/2" deep  
(717mm x 725mm)

PART NO.	OVERALL HEIGHT (without base)
SC300	15 3/4" (400mm)
SC600	27 1/2" (700mm)
SC750	33 1/2" (850mm)
SC900	39 3/8" (1000mm)
SC1050	45 1/4" (1150mm)

### Standard Width Double Hinged Door Cabinet Housings

Double hinged door housings are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Doors include individual lock (RG) and 2 keys.

28 1/4" wide x 29 1/2" deep  
(717mm x 750mm)

PART NO.	OVERALL HEIGHT (without base)
SCDHD600	27 1/2" (700mm)
SCDHD750	33 1/2" (850mm)
SCDHD900	39 3/8" (1000mm)
SCDHD1050	45 1/4" (1150mm)

## 2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

\*not available for double hinged door cabinets

## 3 Select mobile base

PART NO.	DESCRIPTION	OAH
CB-SC4B	4" x 2" casters, 1400 lb. cap.	6 1/4"
CB-SC6B	6" x 2" casters, 2400 lb. cap.	8"
CB-SC6ML	6" x 2" casters, 3600 lb. cap.	8"
CB-726B*	6" x 2" casters, 2400 lb. cap.	8"
CB-726ML*	6" x 2" casters, 3600 lb. cap.	8"

\*use with 2 SC housings on 1 base

## 4 Select top

Top depth is 28 1/2". (For tops for 29 1/2" deep housings with doors, contact your Lista representative.)

PART NO.	DESCRIPTION	HT.
SC-RT	retainer top with ribbed mat	3/4"
SC1BCT	butcher block	1 3/4"
SC1PCT	plastic laminate	1 9/16"
SC1RCT	phenolic resin	1"
SC1LST	galvanized steel over wood	1 13/16"
SC1SSC	stainless steel cabinet cover	1/16"

## 5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) maximum load capacity.

PART NO.	USABLE HT.	SIDEWALL HT.
SC75F	2 1/8" (54mm)	2" (52mm)
SC100F	3 1/8" (79mm)	3" (77mm)
SC125F	4 1/16" (104mm)	3" (77mm)
SC150F	5 1/16" (129mm)	5" (127mm)
SC175F	6 1/16" (154mm)	5" (127mm)
SC200F	7 1/32" (179mm)	7" (177mm)
SC225F	8" (203mm)	7" (177mm)
SC250F	9" (229mm)	8 15/16" (227mm)
SC300F	11" (279mm)	10 15/16" (277mm)
SC350F	13" (329mm)	10 15/16" (277mm)

## 5 Select shelves, trays and doors

### Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

### Adjustable Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
SC-AS	25 13/16" (655mm)	24 1/4" (616mm)

### Bottom Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
SC-BS	25 7/8" (656mm)	23 3/4" (604mm)

### Vertical Dividers for Adjustable Shelf

PART NO.	HEIGHT
VSD100/36	4"
VSD150/36	6"

## Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
SC-TCF	24" (610mm)	24" (610mm)

## Flush Hinged Doors

Door with integrated handle is reversible in field to allow door to open in opposite direction. To order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box (■) in the part number. **Only bottom and adjustable shelves may be installed behind flush doors.**

PART NO.	HEIGHT
FD450-36 ■	17 11/16" (450mm)
FD600-36 ■	23 5/8" (600mm)
FD750-36 ■	29 9/16" (750mm)
FD900-36 ■	35 7/16" (900mm)

## Retractable Doors


Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/SC	solid steel door	8 5/16"
RD450/SC	solid steel door	14 1/4"
RD600/SC	solid steel door	20 1/8"
RD450/SC-P	with plexiglas window	14 1/4"
RD600/SC-P	with plexiglas window	20 1/8"

\*when cabinet contains adjustable shelf

## 6 Select drawer partitions and dividers

## 7 Select colors



\*inside dimensions


Listra's modular building block

system means that your Standard Width cabinets can be configured to exactly suit your requirements.


To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer and/or door model numbers must add up to the model number of the housing.

Example: 900 housing



Example: 900 housing with flush hinged door



# SC Standard Width *Easy-Order* Drawer Interior Sets

## How to order a Standard Width Easy-Order Drawer Interior Set

To order the drawer interior sets shown on these two pages, use the part number in the chart and add the drawer height in place of the green box.

*EXAMPLE:* to order a DR312 drawer interior set for a 100 height (3") drawer, the part ordering number would be DR312-100.



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR104-■	4	11 1/2"



For drawer heights 75 through 300

PART NO.	COMPTS.	CMPT. WIDTH
DR106-■	6	11 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR206-■	6	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR209-■	9	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR211-■	11	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR212-■	12	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR3AD-■	4	5 1/2"
	3	7 1/2"
	2	9 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR312-■	12	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR316-■	16	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR319-■	19	5 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR4AD-■	15	3 1/2"
	11	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR406-■	2	5 1/2"
	4	5 1/2" x 18"




For drawer heights 50 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR420-■	16	4 1/8"
	4	4 7/8"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR425-■	20	4 1/8"
	5	4 7/8"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR518-■	18	3 1/2"



For drawer heights 50 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR524-■	24	3 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR530-■	30	3 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR548-■	48	3 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR635-■	30	2 5/8"
	5	3 1/2"



For drawer heights 75 through 150

PART NO.	COMPTS.	CMPT. WIDTH
DR712-■	6	3 1/2"
	6	3 1/2" x 16"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. WIDTH
DR740-■	20	2 1/8"
	20	2 5/8"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. WIDTH
DR818-■	18	2 1/8"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
DR016-■	16	6" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
DR024-■	16	3" x 6"
	8	6" x 6"




For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
DR032-■	32	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
DR036-■	16	3" x 3"
	16	3" x 6"
	4	6" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
DR064-■	64	3" x 3"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR162-■	38	2 3/4"




For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR163-■	51	1 3/4"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR164-■	64	1 1/4"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR3PG-■	4	5 7/8"