

ST Width Easy-Order Mobile Cabinet Combinations – 28 1/4" wide x 22 1/2" deep



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% full extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 3)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 3)

How to order an ST Width Easy-Order Mobile Cabinet

1. Select Easy-Order Cabinet Combination either without or with drawer interior sets (designated by an "A" near the end of the part number – i.e., ST0600-0501FA-M).

2. Select lock type.

NL = none
 RG = individual
 KA = keyed-alike
 MA = master

3. Select paint color.

EXAMPLE: to order an ST0750-0701FA-M cabinet with an individual lock, Light Gray paint for the housing with Red drawers, and a retainer top, the part number would be ST0750-0701FA-M-RGLG/NR, with an ST-RT top (shown in photo at top of page).

ST600 Mobile Cabinets 35 1/2" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	308
3" (100F)	308
5" (150F)	206
7" (200F)	206

PART NO.	DRWS.	COMPARTS.
ST0600-0501F-M- <input type="checkbox"/>	5	-
ST0600-0501FA-M- <input type="checkbox"/>	5	46

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
3" (100F)	308
3" (100F)	308
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0600-0503F-M- <input type="checkbox"/>	5	-
ST0600-0503FA-M- <input type="checkbox"/>	5	56

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
3" (100F)	308
4" (125F)	206
5" (150F)	104
5" (150F)	104

PART NO.	DRWS.	COMPARTS.
ST0600-0504F-M- <input type="checkbox"/>	5	-
ST0600-0504FA-M- <input type="checkbox"/>	5	40

ST750 Mobile Cabinets 41 1/2" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
2" (75F)	308
2" (75F)	308
3" (100F)	308
5" (150F)	206
7" (200F)	206

PART NO.	DRWS.	COMPARTS.
ST0750-0701F-M- <input type="checkbox"/>	7	-
ST0750-0701FA-M- <input type="checkbox"/>	7	72

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
3" (100F)	308
3" (100F)	308
5" (150F)	206
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0750-0602F-M- <input type="checkbox"/>	6	-
ST0750-0602FA-M- <input type="checkbox"/>	6	62

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
3" (100F)	308
4" (125F)	308
7" (200F)	206
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0750-0505F-M- <input type="checkbox"/>	5	-
ST0750-0505FA-M- <input type="checkbox"/>	5	44

ST900 Mobile Cabinets 47 3/8" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
2" (75F)	308
2" (75F)	308
3" (100F)	308
3" (100F)	308
5" (150F)	206
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0803F-M- <input type="checkbox"/>	8	-
ST0900-0803FA-M- <input type="checkbox"/>	8	78

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
3" (100F)	308
3" (100F)	308
5" (150F)	206
5" (150F)	206
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0704F-M- <input type="checkbox"/>	7	-
ST0900-0704FA-M- <input type="checkbox"/>	7	68

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
3" (100F)	308
4" (125F)	308
5" (150F)	206
7" (200F)	206
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0603F-M- <input type="checkbox"/>	6	-
ST0900-0603FA-M- <input type="checkbox"/>	6	50

Mobile Cabinet Options

Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 22 3/16" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.



PART NO.	DESCRIPTION
OHC2329-CM	shelf cabinet
OHC1BCT/27	butcher block top (22 3/16" x 15" x 1 1/4")



Folding Shelves


Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 22 1/2" deep.

PART NO.	MOUNTS TO
FS-27DX15-L	left side
FS-27DX15-R	right side

ST Mobile Cabinet Tops

PART NO.	DESCRIPTION	HT.
ST-RT	retainer top with ribbed mat	3/4"
ST1BCT	butcher block	1 3/4"
ST1PCT	plastic laminate	1 9/16"

For detailed directions on ordering custom cabinets and complete descriptions of the options in this document, please see our General Storage Catalog.



*inside dimensions

1 Select cabinet housing

Listra's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

ST Width Cabinet Housings

28 1/4" wide x 22 1/2" deep
(717mm x 572mm)

PART NO.	OVERALL HEIGHT (without base)
ST300	15 3/4" (400mm)
ST450	21 5/8" (550mm)
ST600	27 1/2" (700mm)
ST750	33 1/2" (850mm)
ST900	39 3/8" (1000mm)
ST1050	45 1/4" (1150mm)

ST Width Double Hinged Door Cabinet Housings

These are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

28 1/4" wide x 23 1/2" deep
(717mm x 597mm)

PART NO.	OVERALL HEIGHT (without base)
STDHD600	27 1/2" (700mm)
STDHD750	33 1/2" (850mm)
STDHD900	39 3/8" (1000mm)

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select mobile base

PART NO.	DESCRIPTION	OAH
CB-ST4B	4" x 2" casters, 1400 lb. cap.	6 1/4"
CB-ST6B	6" x 2" casters, 2400 lb. cap.	8"

4 Select top

Top depth is 22 1/2". (For tops for 23 1/2" deep housings with doors, contact your Listra representative.)

PART NO.	DESCRIPTION	HT.
ST-RT	retainer top with ribbed mat	3/4"
ST1BCT	butcher block	1 3/4"
ST1PCT	plastic laminate	1 9/16"
ST1RCT	phenolic resin	1"
ST1LST	galvanized steel over wood	1 13/16"
ST1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) maximum load capacity.

PART NO.	USABLE HT.	SIDEWALL HT.
ST75F	2 1/8" (54mm)	2" (52mm)
ST100F	3 1/8" (79mm)	3" (77mm)
ST125F	4 1/16" (104mm)	3" (77mm)
ST150F	5 1/16" (129mm)	5" (127mm)
ST175F	6 1/16" (154mm)	5" (127mm)
ST200F	7 1/32" (179mm)	7" (177mm)
ST225F	8" (203mm)	7" (177mm)
ST250F	9" (229mm)	8 15/16" (227mm)
ST300F	11" (279mm)	10 15/16" (277mm)
ST350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays, doors

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
ST-AS	25 13/16" (655mm)	18 1/4" (463mm)

Bottom Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
ST-BS	25 7/8" (656mm)	17 3/4" (451mm)

Vertical Dividers for Adjustable Shelves

PART NO.	HEIGHT
VSD100/27	4"
VSD150/27	6"

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
ST-TCF	24" (610mm)	18" (459mm)

Flush Hinged Doors

Door with integrated handle is reversible in field to allow door to open in opposite direction. To order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box (■) in the part number. **Only bottom and adjustable shelves may be installed behind flush doors.**

PART NO.	HEIGHT
FD450-36 ■	17 11/16" (450mm)
FD600-36 ■	23 5/8" (600mm)
FD750-36 ■	29 9/16" (750mm)
FD900-36 ■	35 7/16" (900mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/ST	solid steel door	8 5/16"
RD450/ST	solid steel door	14 1/4"
RD450/ST-P	with plexiglas window	14 1/4"

*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers


7 Select colors

Listra's modular building block system means that your ST Width cabinets can be configured to exactly suit your requirements.


To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer and/or door model numbers must add up to the model number of the housing.

Example: 900 housing



Example: 900 housing with flush hinged door



ST Width *Easy-Order* Drawer Interior Sets



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR104-■	4	11 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR106-■	6	11 1/2"




For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR206-■	6	7 1/2"

How to order an ST Width *Easy-Order* Drawer Interior Set

To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an SDR308 drawer interior set for a 100 height (3") drawer, the part ordering number would be SDR308-100.




For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR209-■	9	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR308-■	8	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR312-■	12	5 3/4"




For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR316-■	16	5 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
SDR420-■	16	4 1/8"
	4	4 7/8"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
SDR518-■	18	3 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
SDR530-■	30	3 1/2"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. WIDTH
SDR012-■	12	6" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
SDR020-■	4	6" x 6"
	16	3" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
SDR024-■	24	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
SDR032-■	16	3" x 6"
	16	3" x 3"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
SDR160-■	24	2 1/4"
	36	1 3/4"